Lecture 23: 04/11/2024

- Announcements
 Exams back today
- Last Time
 Motors/torque, magnetic moment
 Faraday's Law
- Today
 The infinite formula sheet
 Circular motion of a charged particle
 Motor review
 Ampere's Law
 Maxwell equations?

How do I avoid an infinite formula sheet?

The deeper the understanding, the fewer the formulae.

E&M has four equations total (Maxwell's equations)

Maxwell's Equations

$$\int \vec{E} \cdot d\vec{A} = \frac{Q}{\epsilon_0}$$
 To calculate E for symettrical charges.

$$\int \vec{B} \cdot d\vec{A} = 0$$
 Cannot have North magnet w/o a South pole.

$$\int \vec{B} \cdot d\vec{l} = \mu_0 I$$
 To calculate B for symettrical currents.

$$\int \vec{E} \cdot d\vec{l} = -\frac{d\Phi}{dt}$$
 Magnetic induction! Generators! Light!

How do I avoid an infinite formula sheet?

The deeper the understanding, the fewer the formulae.

E&M has four equations total (Maxwell's equations)

... REALLY??

How do I avoid an infinite formula sheet?

The deeper the understanding, the fewer the formulae.

E&M has four equations total (Maxwell's equations)

... REALLY??

... no not yet

How do I avoid an infinite formula sheet – Physics I

 $KE_i + U_i = KE_f + U_f$ Energy conservation.

$$F_c = \frac{mv^2}{R}$$
 Centripetal force in circular motion.

$$F_{net} = m\vec{a} = \frac{d\vec{p}}{dt}$$
 Newton's 2nd

$$W = \int \vec{F} \cdot d\vec{l}$$
 Definition of work.

U = -W Relation between work and Potential Energy

$$\vec{\tau} = \vec{r} \times \vec{F} = I\alpha$$
 Torque definition

How do I avoid an infinite formula sheet - really?

$$\Delta V = -\int \vec{E} \cdot d\vec{l}$$
 Definition of potential.

$$\oint \vec{E} \cdot d\vec{A} = \frac{Q}{\epsilon_0}$$
 Gauss Law (sphere/line/plane).

$$V = IR$$
 $R = \rho \frac{L}{A}$ Ohm's Law and origin of resistance

$$U = qV$$
 Relation between potential and potential energy

$$\vec{F} = q\vec{E} + q\vec{v} \times \vec{B}$$
 Lorentz force Law

$$\oint \vec{B} \cdot d\vec{l} = \mu_0 I$$
 Ampere's law (wire/solenoid/current sheet).


How do I avoid an infinite formula sheet – Example ... Circular motion in a B-field


Given a proton moving at 1000 km/s in Earth's magnetic field, what is the radius and frequency of the orbit?

Motor Review

Motors

Are just clever loops of wire in magnetic fields





Try B-field to the right

$$\overrightarrow{B} = B_0 \hat{x}$$

$$\overrightarrow{B} = B_0 \hat{x}$$

Equations for motors


```
\vec{F} = I \vec{L} \times \vec{B} Force on current I

\vec{\tau} = \vec{r} \times \vec{F} Torque definition

\vec{m} = N I \vec{A} Def. of Magnetic Moment

\vec{\tau} = \vec{m} \times \vec{B} Torque on a Magnetic Moment
```

This is a side view of a wire loop. Which direction should B point for maximum torque?




- **(A)** To the right
- **(B)** Up
- (C) Along n
- **(D)** Perpendicular to n̂

This is a side view of a wire loop. Which direction should B point for zero torque?



- **(A)** To the right
- **(B)** Up
- (C) Along n
- **(D)** Perpendicular to n̂



In a 2 T B-field, what is the maximum torque on this loop?

$$\mathbf{L=6} \mathbf{m}$$

$$\mathbf{w=2} \mathbf{m}$$

$$\mathbf{I=3} \mathbf{Amps}$$


- (A) $\tau = 6 \,\mathrm{N} \cdot \mathrm{meter}$
- **(B)** $\tau = 3 \, \text{N} \cdot \text{meter}$
- (C) $\tau = 36 \,\text{N} \cdot \text{m}$
- **(D)** $\tau = 72 \,\mathrm{N} \cdot \mathrm{m}$

Ampere's Law


Is always true and is one of the Maxwell Equations

Allows you to calculate the magnetic field in highly symmetric cases of currents


$\int f(x)dx$ Area under y-axis




$\int f(x)dx$ Area under arbitrary line



$\int \vec{F} \cdot d\vec{l}$ Vector line integral



$\int \vec{F} \cdot d\vec{r}$ Vector line integral




Clicker


• Where have you seen a vector line integral before?

- (A) Plan 9 from outer space
- **(B)** Friday the 13 th part 4
- **(C)** The definition of work
- **(D)** The definition of electric potential
- **(E)** Two of the above


 $\oint \vec{F} \cdot d\vec{s}$ Vector closed-loop line integral



 $\oint \vec{F} \cdot d\vec{r} \quad \text{Vector closed-loop line integral} \\
\oint \vec{B} \cdot d\vec{s} = \mu_0 I \quad \text{Ampere's Law}$



$\oint \vec{B} \cdot d\vec{l} = \mu_0 I$ Ampere's Law



Given $i_1 = 10 \text{ Amps}, i_2 = -5 \text{ A}, i_3 = 5 \text{ A}$


What is $\int \vec{B} \cdot d\vec{l}$?

(A) Plan 9 from outer space

10 T·m

(C) 15 T⋅m

(D) 5 T⋅m



Equations of Magnetism

$$\vec{F} = Q \vec{v} \times \vec{B}$$
 Force on charge Q

$$\vec{F} = I \vec{L} \times \vec{B}$$
 Force on current I


$$\vec{B} = \frac{\mu_0 I}{2\pi r} \hat{\phi}$$
 Field of Infinite wire

$$\vec{B} = \frac{\mu_0 I}{2 a} \hat{z}$$
 Field in center of wire loop

$$\vec{B} = \mu_0 n I \hat{z}$$
 Field of an infinite coil (solenoid)

Derive field around a wire

Derive field of a solenoid




$$\vec{E} = \frac{\sigma}{2\epsilon_0} \hat{k}$$


$$\vec{\mathsf{E}} = \frac{\lambda}{2\pi r \epsilon_0} \hat{\mathsf{r}}$$

$$\vec{E} = \frac{Q}{4\pi r^2 \epsilon_0} \hat{r}$$

Planar symmetry




The field is perpendicular to the plane.



Infinite parallel-plate capacitor


Cylindrical symmetry






Coaxial cylinders

Spherical symmetry





Concentric spheres

Maxwell's Equations

$$\int \vec{E} \cdot d\vec{A} = \frac{Q}{\epsilon_0}$$
 To calculate E for symettrical charges.

$$\int \vec{B} \cdot d\vec{A} = 0$$
 Cannot have North magnet w/o a South pole.

$$\int \vec{B} \cdot d\vec{l} = \mu_0 I$$
 To calculate B for symettrical currents.

$$\int \vec{E} \cdot d\vec{l} = -\frac{d\Phi}{dt}$$
 Magnetic induction! Generators! Light!

Faraday's Law

A changing magnetic flux makes a voltage. Moving a magnet in a loop of wire makes a voltage.

Spinning a wire in a magnetic field makes a Voltage

Turning on an electromagnet near a coil of wire makes a voltage.

Faraday's Law Lab

You will yank a loop of wire out of a magnetic field. This will allow you to measure the magnetic field.

You will run an AC current through a coil. This will cause a voltage to appear in a different coil.

Electric fields are calculated with Coulomb's law or Gauss's Law

Magnetic Fields are calculated with the Biot-Savart Law or Ampere's Law

$$d\vec{B} = \frac{\mu_0}{4\pi} \frac{I d\vec{l} \times \hat{r}}{r^2}$$
 Biot Savart

Maxwell's Equations

$$\oint \vec{E} \cdot d\vec{A} = \frac{Q}{\epsilon_0}$$
 To calculate E for symettrical charges.

 $\oint \vec{B} \cdot d\vec{A} = 0$ Cannot have North magnet w/o a South pole.

 $\oint \vec{B} \cdot d\vec{l} = \mu_0 I$ To calculate B for symettrical currents.


$$\oint \vec{E} \cdot d\vec{l} = -\frac{d\Phi_B}{dt}$$
 Magnetic induction! Generators! Light!
$$\Phi_B = \int B \cdot d\vec{A}$$

$$\Phi_{\rm B} = \int \mathbf{B} \cdot \mathbf{d} \, \vec{\mathbf{A}}$$


Recap Lecture 23

- Circular motion of charges
- Torque in a motor
- Amperes law
- Field of a wire
- Field of a solenoid


$\int f(x)dx$ Area under curve




$\int f(x,y)dA = \iint f(x,y)dxdy$ Volume under an area




 $\int f(u,v)dA = \iint f(u,v)|\vec{r_u} \times \vec{r_v}| du dv Surface integral$






 $\oint \vec{F}(u,v) \cdot \hat{n} dA$ Vector closed surface integral


$$\oint \vec{E} \cdot d\vec{A} = \frac{Q}{\epsilon_0}$$




$\int f(x)dx$ Area under y-axis




$\int f(x)dx$ Area under arbitrary line




$\int \vec{F} \cdot d\vec{l}$ Vector line integral



$\int \vec{F} \cdot d\vec{r}$ Vector line integral



 $\oint \vec{B} \cdot d\vec{s}$ Vector closed-loop line integral



Torque

• A wrench is 30 cm long and a person exerts 10 N at right angles to it. The torque is?

- **(A)** 30 N⋅m
- **(B)** 10 N⋅m
- **(C)** 300 N⋅m
- **(D)** 3 N⋅m
- **(E)** 0 N⋅m